

<h2 style="text-align: center;">EcoSoya Wax PB-140</h2>							
<b>Wax Type:</b>	All Natural Soy Wax Complimented with Botanical Oils						
<b>Application:</b>	Pillars, Votives and Tarts Cold-Process Soap						
<b>Properties:</b>	Melt Point: 130° F Flash Point: > 450° F Saponification #AOCS Cd 3-25 195 (for soap purposes)						
<b>Recommended Pouring Temperature:</b>	155° F 145° F for second pour (if necessary)						
<b>Benefits:</b>	<ul style="list-style-type: none"> <li>• Soy Wax, in flake form</li> <li>• A opaque creamy off white appearance</li> <li>• DO NOT add additives</li> <li>• Just add color and scent</li> <li>• Holds the average amount of fragrance oil, which is 6%</li> <li>• May be used for votives - considered single pour</li> <li>• May be used for pillars - may require a second pour</li> </ul>						
<p><b>General Guidelines:</b></p> <p>Please remember, these are only general guidelines and individual results may vary.</p> <p>Experimentation and testing are always the best way to determine the best methods for your application.</p>	<ul style="list-style-type: none"> <li>• Use mold release on molds - room temperature</li> <li>• Heat wax to between 160°-180°F</li> <li>• Add fragrance and dye, and then stir thoroughly.</li> <li>• Lower pouring temperature to be between 145°-155°F, then pour candles slowly.</li> <li>• Allow candle to cool as slowly as possible. DO NOT place in a water bath or refrigerator to accelerate the cooling process.</li> </ul> <p style="text-align: center;"><u>Wick Recommendation:</u></p> <p>* These are only recommendations. Nu-Scents Candle cannot be held responsible for any unexpected results. We suggest TESTING any wick combinations you may choose.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Pillar Size</th> <th style="text-align: center;">Recommendation</th> </tr> </thead> <tbody> <tr> <td>Pillar 2"-3" in diameter at the base</td> <td>#2 sq braid, # 3 sq braid 24 ply flat braid, 30 ply flat braid</td> </tr> <tr> <td>Pillar 3"-4" in diameter at the base</td> <td>#3 sq braid, #4 sq braid 30 ply flat braid, 36 ply flat braid</td> </tr> </tbody> </table>	Pillar Size	Recommendation	Pillar 2"-3" in diameter at the base	#2 sq braid, # 3 sq braid 24 ply flat braid, 30 ply flat braid	Pillar 3"-4" in diameter at the base	#3 sq braid, #4 sq braid 30 ply flat braid, 36 ply flat braid
Pillar Size	Recommendation						
Pillar 2"-3" in diameter at the base	#2 sq braid, # 3 sq braid 24 ply flat braid, 30 ply flat braid						
Pillar 3"-4" in diameter at the base	#3 sq braid, #4 sq braid 30 ply flat braid, 36 ply flat braid						